Occupational Mobility and Carotid Artery Intima-Media Thickness: Findings From the Coronary Artery Risk Development in Young Adults Study

_• _ . . _ · . _ • _ . _ **_}** _ г _)÷ C - 1- **c** (. c c -- · · · · · · · · · · · C C. . . C c C . . . (r - r, c . e e_/ - (+ (.c_ .c . .c c c (. c ٢ c -1 c c c c c ٢٢ c cc c c . c c_c ... с ^с , ¹ ¹ ¹ c c c c c. c e e-Results: c - c - c c . . . c c . . . c c . **c** . $(\beta - p - \bar{p}) = \bar{p}$ - -c .c _ c - -(e c - . c c . c c .c. - .c. . - 11 -. . .

downward mobility

n an ann an Sacht Charl I. Charl I. Charl Charl Charl
 -</t \mathbf{c} atherosclerosis \mathbf{c} \mathbf{c} \mathbf{c} \mathbf{c} C

c c -

METHODS

Participants

 $\begin{array}{c} \mathbf{C} & \mathbf$

Moderation by Sex and Race

 $\mathbf{C}_{\mathbf{r}} = \mathbf{C}_{\mathbf{r}} + \mathbf{C}_{\mathbf{r}} +$

- $\frac{1}{2} = \frac{1}{2} = \frac{1}$
- 3
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5
 5

- / .C .C .

REFERENCES

- $\begin{array}{c} \mathsf{REFENERVES} \\ \mathbf{F} = \left(\begin{array}{c} \mathbf{F} \\ \mathbf{F} \\$
- **c c** . .
- • • • • • þ
- c

- 11
- c
- $\begin{bmatrix} 1 & 1 & -1 & -1 \\ 1 & 2 & -1 & -1 \\ 1 & 2 & -1 & -1 \\ 1 & 2 & -1 & -1 \\ 1 & 2 & -1 & -1 \\ 2 & 2 &$ - // c -

- -
- .c -1. c . c
- 1- - - - C -·_ - -
- с. С. _с. . . -с. -
- ||= .c.